

RTU3-E.452-24-FA

| CFM | Static Pressure in Inches W.G. | | | | | | | | | | |
|------|--------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | 0.000 | 0.500 | 1.000 | 1.500 | 2.000 | 2.500 | 3.000 | 3.500 | 4.000 | 4.500 | 5.000 |
| | RPM/BHP | RPM/BHP | RPM/BHP | RPM/BHP | RPM/BHP | RPM/BHP | RPM/BHP | RPM/BHP | RPM/BHP | RPM/BHP | RPM/BHP |
| 1500 | | | 792 / 0.66 | 949 / 1.11 | 1083 / 1.61 | 1201 / 2.16 | 1308 / 2.76 | 1406 / 3.39 | 1499 / 4.06 | 1584 / 4.76 | 1665 / 5.48 |
| 2050 | | | 828 / 0.80 | 983 / 1.29 | 1115 / 1.84 | 1233 / 2.44 | 1339 / 3.09 | 1437 / 3.78 | 1528 / 4.50 | 1613 / 5.25 | 1694 / 6.04 |
| 2600 | | | 867 / 0.96 | 1020 / 1.50 | 1150 / 2.10 | 1266 / 2.75 | 1371 / 3.44 | 1469 / 4.18 | 1560 / 4.95 | 1645 / 5.75 | 1725 / 6.59 |
| 3150 | | 727 / 0.63 | 911 / 1.17 | 1060 / 1.76 | 1188 / 2.40 | 1302 / 3.09 | 1407 / 3.83 | 1503 / 4.61 | 1593 / 5.43 | 1677 / 6.28 | 1758 / 7.17 |
| 3700 | | 785 / 0.80 | 958 / 1.40 | 1103 / 2.05 | 1228 / 2.75 | 1341 / 3.49 | 1444 / 4.27 | 1539 / 5.10 | 1629 / 5.96 | 1712 / 6.86 | 1792 / 7.79 |
| 4250 | | 847 / 1.01 | 1009 / 1.67 | 1148 / 2.38 | 1271 / 3.14 | 1382 / 3.93 | 1483 / 4.77 | 1578 / 5.64 | 1666 / 6.56 | 1749 / 7.50 | 1828 / 8.48 |
| 4800 | 760 / 0.68 | 914 / 1.26 | 1064 / 1.98 | 1197 / 2.76 | 1317 / 3.57 | 1425 / 4.43 | 1525 / 5.32 | 1618 / 6.25 | 1705 / 7.21 | 1787 / 8.20 | 1866 / 9.22 |
| 5350 | 848 / 0.94 | 985 / 1.56 | 1123 / 2.34 | 1249 / 3.18 | 1365 / 4.06 | 1471 / 4.98 | 1568 / 5.93 | 1660 / 6.91 | 1746 / 7.93 | 1827 / 8.97 | |
| 5900 | 935 / 1.26 | 1059 / 1.93 | 1185 / 2.75 | 1305 / 3.66 | 1416 / 4.60 | 1519 / 5.59 | 1614 / 6.59 | 1704 / 7.64 | 1789 / 8.71 | 1869 / 9.81 | |
| 6450 | 1022 / 1.64 | 1135 / 2.36 | 1251 / 3.23 | 1364 / 4.19 | 1470 / 5.20 | 1569 / 6.25 | 1662 / 7.32 | 1750 / 8.43 | 1833 / 9.56 | | |
| 7000 | 1109 / 2.10 | 1212 / 2.86 | 1320 / 3.78 | 1425 / 4.79 | 1526 / 5.86 | 1622 / 6.98 | 1713 / 8.12 | 1799 / 9.28 | | | |

Max Sizeable RPM = 2000 RPM. Table shown extended beyond this point for reference only.

Motor 00512OT3H215T-S has an rpm range of 700 to 1150.

Motor 00518ET3H184T-W22 has an rpm range of 700 to 1750.

Motor 00518OT3H184T-S has an rpm range of 700 to 1750.

Motor 00718ET3H213T-W22 has an rpm range of 700 to 1750.

Motor 00718OT3H213T-S has an rpm range of 700 to 1750.

Motor 01018OT3H215T-S has an rpm range of 700 to 1750.

Motor DHP0056 has an rpm range of 700 to 1165.

Motor DTP0054 has an rpm range of 700 to 1750.

Motor DTP0054-50 has an rpm range of 700 to 1435.

Motor DTP0056 has an rpm range of 700 to 1150.

Motor DTP0104 has an rpm range of 700 to 1755.

Motor DTP0104-50 has an rpm range of 700 to 1436.

Motor DTP7/54 has an rpm range of 700 to 1750.

Motor DTP7/54-50 has an rpm range of 700 to 1470.

Motor GP0054 has an rpm range of 700 to 1800.

Motor GP0054-50 has an rpm range of 700 to 1440.

Motor NP0056 has an rpm range of 700 to 1150.